

ART 34 AMDT
1000'

CLAIMS

Sub 1 1. (Amended) A dispensing package comprising:
a square-tubular case suitable for accommodating
therein stacked unit packages, each package containing a
plurality of stick-like articles aligned in parallel with the
front wall of the case;

an opening for putting in and out the unit packages
provided on an upper part of said square-tubular case;

a lid for closing said opening;

a bottom; and

an extracting outlet or a tear-off portion for
forming an extracting outlet for extracting the unit package,

wherein the top surface of said bottom is inclined
so that the front side of the bottom is lower than the rear
side thereof and said extracting outlet or the tear-off
portion is provided on a side wall of said case such that the
unit package, which is to be placed on the top surface of the
bottom, is taken out of the outlet from one end of the stick-
like articles in the unit package.

2. (Amended) The dispensing package in accordance
with claim 1, wherein said unit package contains a plurality
of batteries aligned in parallel with the front wall of the
case.

3. (Deleted)

Sub 2 4. (Amended) The dispensing package in accordance

ART 34 AMDT

with claim 1, wherein said case has a bottom surface with which the case can stand independently on a mounting board.

5. The dispensing package in accordance with claim 1, wherein a suspending piece for suspending the case is provided on a top end of the case.

6. (Amended) The dispensing package in accordance with claim 1, wherein at least the front wall of the case is transparent.

7. The dispensing package in accordance with claim 1, wherein a partition is placed on the unit package in the highest position in the case.

8. (Deleted)

9. (Deleted)

10. (Deleted)

11. (Deleted)

12. (Deleted)

13. (Deleted)

Sub 3
14. (Amended) The dispensing package in accordance with claim 1, wherein said package comprises a case assembled by a single sheet and a base having a top surface which is inclined so that the front side of the base is lower than the rear side thereof, said single sheet comprising:

a front wall, a rear wall and right and left side walls forming the square-tubular case;

flaps and a lid for closing the upper opening of the case;

a bottom wall constituting a bottom of the case; and
a tear-off portion for forming the extracting
outlet.

15. (Amended) The dispensing package in accordance
with claim 1, wherein said package is assembled by a single
sheet, said single sheet comprising:

a front wall, a rear wall and right and left side
walls forming the square-tubular case;

flaps and a lid for closing the upper opening of the
case;

a first base-forming portion including bottom wall
pieces, upstanding pieces and top surface pieces that are
respectively connected to the lower part of said right and
left side walls;

a bottom wall connected to the lower part of said
front wall;

a second base-forming portion including an
upstanding piece, a top surface piece and a down-standing
piece that are respectively connected to the rear wall; and

a tear-off portion for forming the extracting
outlet.

*Add a 3y
B4*